

# Комбинированный многоцелевой дисплей МТС100

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [iah@nt-rt.ru](mailto:iah@nt-rt.ru) || сайт: <https://isa.nt-rt.ru/>

# Combined multi-purpose display cabinet

**H 117-135**

**P 100**

**L 100-130-150**

Insulated double pane  
side glasses available  
in two heights  
H117 and H135

Integrated night closing  
curtain does not exceed  
the footprint of glass



---

**TN RV** - Ventilated

---

**TN RV CH** - Chocolate

---

**TC S** - Dry heat

---

**N** - Non-refrigerated

---

aria

---

R290



Ventilated refrigeration with single evaporator for both the upper and the lower compartments.  
The upper compartment can be switched to non-refrigerated, by means of a button on the control panel. A dry heat plate (optional) is available for the the upper compartment: a simple swithch on the control panel will turn the upper section into a heated cabinet.

Multiplexable  
with more MTC100 units

# Glass structure configuration



Top LED lighting

**Glass structure  
with tilt front,  
LED lighting  
and sliding doors**

**H 117**



5.700 K  
4.000 K  
3.000 K



Top LED lighting

Intermediate shelf  
with lighting and heating option

**Glass structure  
with tilt front,  
LED lighting  
and sliding doors**

**H 135**



5.700 K  
4.000 K  
3.000 K

## Operator side

Closing system  
with polycarbonate  
sliding doors

Open storage compartment  
with intermediate utility shelf,  
ideal to keep service accessories  
always handy



# Technical data

## MTC100 UCB plug-in condensing unit

|                                            |                      |     |     |
|--------------------------------------------|----------------------|-----|-----|
| MODULE LENGTH                              | 100                  | 130 | 150 |
| Climate class                              | 3                    |     |     |
| Climate conditions                         | 25°C/60% UR          |     |     |
| Pastry/snack display operating temperature | -1/+7 °C             |     |     |
| Dry heat display operating temperature     | 65 °C                |     |     |
| Compressors [q.ty/ type]                   | 1/ hermetic          |     |     |
| Defrost                                    | compressor off-cycle |     |     |
| Power supply [V/hz]                        | 230/50/1Ph           |     |     |
| Refrigerant                                | R290                 |     |     |

### VENTILATED + VENTILATED


|                                     |                                                                                   |                                                                                   |                                                                                     |
|-------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Heat extraction rate (Ørun) [W@-10] | 880                                                                               | 1150                                                                              | 1350                                                                                |
| Rated absorbed power [W/A]          | 890/4                                                                             | 910/4,1                                                                           | 1150/4,7                                                                            |
| Absorbed power during defrost [W/A] | 60/0,3                                                                            | 60/0,3                                                                            | 80/0,4                                                                              |
| Energy class H117                   |  |  |  |
| Energy class H135                   |  |  |  |

### VENTILATED + DRY HEAT

|                                     |                                                                                     |                                                                                     |                                                                                       |
|-------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Heat extraction rate (Ørun) [W@-10] | 880                                                                                 | 1150                                                                                | 1350                                                                                  |
| Rated absorbed power [W/A]          | 1610/6,3                                                                            | 1820/7,1                                                                            | 2250/8,8                                                                              |
| Absorbed power during defrost [W/A] | 780/3                                                                               | 970/3,8                                                                             | 1180/4,6                                                                              |
| Energy class H117                   |  |  |  |
| Energy class H135                   |  |  |  |

### VENTILATED+ NON REFRIGERATED

|                                     |                                                                                     |                                                                                     |                                                                                       |
|-------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Heat extraction rate (Ørun) [W@-10] | 880                                                                                 | 1150                                                                                | 1350                                                                                  |
| Rated absorbed power [W/A]          | 890/4                                                                               | 910/4,1                                                                             | 1150/4,7                                                                              |
| Absorbed power during defrost [W/A] | 60/0,3                                                                              | 60/0,3                                                                              | 80/0,4                                                                                |
| Energy class H117                   |  |  |  |
| Energy class H135                   |  |  |  |



RV TN - RV TN  
H117  
P100

RV TN - RV TN  
H135  
P100

## По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

**Россия** +7(495)268-04-70

**Казахстан** +(727)345-47-04

**Беларусь** +(375)257-127-884

**Узбекистан** +998(71)205-18-59

**Киргизия** +996(312)96-26-47

эл.почта: [iah@nt-rt.ru](mailto:iah@nt-rt.ru) || сайт: <https://isa.nt-rt.ru/>